



Catálogo General

Ruedas y Horquillas



Ruedas Goma Metal



R1GOME080050	RUEDA GOMA METAL Ø80X 28mm	40			12	8		50
R1GOME100075	RUEDA GOMA METAL Ø100X 37mm	40			12	8		70
R1GOME125100	RUEDA GOMA METAL Ø125X 46mm	50			15	10		100
R1GOME150135	RUEDA GOMA METAL Ø150X 50mm	50			15	10		135
R1GOME200160	RUEDA GOMA METAL Ø200X 50mm	58			20	17		205

Ruedas Goma Metal

Horquillas Zincadas



								
R30B080	RUEDA GOMA METAL HORQ. FIJA Ø80X 28mm (50)	100x85	80x60	8,5x12	37	108	50	70
R30B100	RUEDA GOMA METAL HORQ. FIJA Ø100X 30mm (70)	100x85	80x60	8,5x12	37	128	70	90
R30B125	RUEDA GOMA METAL HORQ. FIJA Ø125X 37,5mm (100)	100x85	80x60	8,5x12	37	155	100	130
R30B150	RUEDA GOMA METAL HORQ. FIJA Ø150X 40mm (135)	100x85	80x60	8,5x12	37	180	135	150
R30B200	RUEDA GOMA METAL HORQ. FIJA Ø200X 50mm (160)	140x110	105x80	11x16	55	235	160	260
R30A080	RUEDA GOMA METAL HORQ. MOVIL Ø80X 28mm (50)	100x85	80x60	8,5x12	37	108	50	70
R30A100	RUEDA GOMA METAL HORQ. MOVIL Ø100X 30mm (75)	100x85	80x60	8,5x12	37	128	75	90
R30A125	RUEDA GOMA METAL HORQ. MOVIL Ø125X 37,5mm (100)	100x85	80x60	8,5x12	37	155	100	130
R30A150	RUEDA GOMA METAL HORQ. MOVIL Ø150X 40mm (135)	100x85	80x60	8,5x12	37	180	135	150
R30A200	RUEDA GOMA METAL HORQ. MOVIL Ø200X 50mm (160)	140x110	105x80	11x16	55	235	160	260
R30C080	RUEDA GOMA METAL HORQ. MOVIL C/ FRENO Ø80X 28mm (50)	100x85	80x60	8,5x12	37	108	50	70
R30C100	RUEDA GOMA METAL HORQ. MOVIL C/ FRENO Ø100X 30mm (75)	100x85	80x60	8,5x12	37	128	75	90
R30C125	RUEDA GOMA METAL HORQ. MOVIL C/ FRENO Ø125X 37,5mm (100)	100x85	80x60	8,5x12	37	155	100	130
R30C150	RUEDA GOMA METAL HORQ. MOVIL C/ FRENO Ø150X 40mm (135)	100x85	80x60	8,5x12	37	180	135	150
R30C200	RUEDA GOMA METAL HORQ. MOVIL C/ FRENO Ø200X 50mm (160)	140x110	105x80	11x16	55	235	160	260



Ruedas Nylon Poliuretano



Gres
Stoneware



Cemento
Concrete



R1NYP0080125	RUEDA NYLON PUR. Ø080 x 30 mm	40			12	12		125
R1NYP0100150	RUEDA NYLON PUR. Ø100 x 30 mm	40			12	15		150
R1NYP0125200	RUEDA NYLON PUR. Ø125 x 30 mm	50			15	15		200
R1NYP0150225	RUEDA NYLON PUR. Ø150 x 35 mm	50			15	15		225
R1NYP0200550	RUEDA NYLON PUR. Ø200 x 50 mm	58			20	25		550

Rueda Nylon Poliuretano Horquilla Zincada



							
R35A080	RUEDA NYLON PUR. HORQ. MOVIL Ø080 x 30 mm (120)	100x85	80x60	8,5x12	37	108	120
R35A100	RUEDA NYLON PUR. HORQ. MOVIL Ø100 x 30 mm (120)	100x85	80x60	8,5x12	37	128	120
R35A125	RUEDA NYLON PUR. HORQ. MOVIL Ø125 x 30 mm (170)	100x85	80x60	8,5x12	37	155	170
R35A150	RUEDA NYLON PUR. HORQ. MOVIL Ø150 x 35 mm (200)	100x85	80x60	8,5x12	37	180	200
R35A200	RUEDA NYLON PUR. HORQ. MOVIL Ø200 x 50 mm (300)	140x110	105x80	11x16	55	235	300
R35B080	RUEDA NYLON PUR. HORQ. FIJA Ø080 x 30 mm (120)	100x85	80x60	8,5x12	37	108	120
R35B100	RUEDA NYLON PUR. HORQ. FIJA Ø100 x 30 mm (120)	100x85	80x60	8,5x12	37	128	120
R35B125	RUEDA NYLON PUR. HORQ. FIJA Ø125 x 30 mm (170)	100x85	80x60	8,5x12	37	155	170
R35B150	RUEDA NYLON PUR. HORQ. FIJA Ø150 x 35 mm (200)	100x85	80x60	8,5x12	37	180	200
R35B200	RUEDA NYLON PUR. HORQ. FIJA Ø200 x 50 mm (300)	140x110	105x80	11x16	55	235	300
R35C080	RUEDA NYLON PUR. HORQ. MOVIL C/ FRENO Ø080 x 30 mm (120)	100x85	80x60	8,5x12	37	108	120
R35C100	RUEDA NYLON PUR. HORQ. MOVIL C/ FRENO Ø100 x 30 mm (120)	100x85	80x60	8,5x12	37	128	120
R35C125	RUEDA NYLON PUR. HORQ. MOVIL C/ FRENO Ø125 x 30 mm (170)	100x85	80x60	8,5x12	37	155	170
R35C150	RUEDA NYLON PUR. HORQ. MOVIL C/ FRENO Ø150 x 35 mm (200)	100x85	80x60	8,5x12	37	180	200
R35C200	RUEDA NYLON PUR. HORQ. MOVIL C/ FRENO Ø200 x 50 mm (300)	140x110	105x80	11x16	55	235	300

Rueda Nylon Poliuretano Horquilla Inoxidable



R35I080	RUEDA NYLON PUR. HORQ. MOVIL INOXIDABLE Ø080 x 30 mm (150)	100x85	80x60	8,5x12	37	108	120
R35I100	RUEDA NYLON PUR. HORQ. MOVIL INOXIDABLE Ø100 x 30 mm (150)	100x85	80x60	8,5x12	37	128	120
R35I125	RUEDA NYLON PUR. HORQ. MOVIL INOXIDABLE Ø125 x 30 mm (150)	100x85	80x60	8,5x12	37	155	170
R35I150	RUEDA NYLON PUR. HORQ. MOVIL INOXIDABLE Ø150 x 35 mm (200)	100x85	80x60	8,5x12	37	180	200
R35I200	RUEDA NYLON PUR. HORQ. MOVIL INOXIDABLE Ø200 x 50 mm (300)	140x110	105x80	11x16	55	235	300
R35K080	RUEDA NYLON PUR. HORQ. FIJA INOXIDABLE Ø080 x 30 mm (150)	100x85	80x60	8,5x12	37	108	120
R35K100	RUEDA NYLON PUR. HORQ. FIJA INOXIDABLE Ø100 x 30 mm (150)	100x85	80x60	8,5x12	37	128	120
R35K125	RUEDA NYLON PUR. HORQ. FIJA INOXIDABLE Ø125 x 30 mm (150)	100x85	80x60	8,5x12	37	155	170
R35K150	RUEDA NYLON PUR. HORQ. FIJA INOXIDABLE Ø150 x 35 mm (200)	100x85	80x60	8,5x12	37	180	200
R35K200	RUEDA NYLON PUR. HORQ. FIJA INOXIDABLE Ø200 x 50 mm (300)	140x110	105x80	11x16	55	235	300
R35J080	RUEDA NYLON PUR. HORQ. MOVIL C/FRENO INOX. Ø080 x 30 mm (150)	100x85	80x60	8,5x12	37	108	120
R35J100	RUEDA NYLON PUR. HORQ. MOVIL C/FRENO INOX. Ø100 x 30 mm (150)	100x85	80x60	8,5x12	37	128	120
R35J125	RUEDA NYLON PUR. HORQ. MOVIL C/FRENO INOX. Ø125 x 30 mm (150)	100x85	80x60	8,5x12	37	155	170
R35J150	RUEDA NYLON PUR. HORQ. MOVIL C/FRENO INOX. Ø150 x 35 mm (200)	100x85	80x60	8,5x12	37	180	200
R35J200	RUEDA NYLON PUR. HORQ. MOVIL C/FRENO INOX. Ø200 x 50 mm (300)	140x110	105x80	11x16	55	235	300


Rueda Nylon Poliuretano Horquilla Pesante



							
R35E125	RUEDA NYLON PUR. HORQ. MOVIL PESANTE Ø125 x 30 mm (400)	135x110	105x80	13x16	45	166	230
R35E150	RUEDA NYLON PUR. HORQ. MOVIL PESANTE Ø150 x 35 mm (600)	135x110	105x80	13x16	50	189	400
R35E200	RUEDA NYLON PUR. HORQ. MOVIL PESANTE Ø200 x 30 mm (800)	135x110	105x80	13x16	57	251	600
R35H125	RUEDA NYLON PUR. HORQ. FIJA PESANTE Ø125 x 30 mm (400)	135x110	105x80	13x16	45	166	230
R35H150	RUEDA NYLON PUR. HORQ. FIJA PESANTE Ø150 x 35 mm (600)	135x110	105x80	13x16	50	189	400
R35H200	RUEDA NYLON PUR. HORQ. FIJA PESANTE Ø200 x 50 mm (800)	135x110	105x80	13x16	57	251	600
R35F125	RUEDA NYLON PUR. HORQ. MOVIL C/FRENO PES. Ø125 x 30 mm (400)	135x110	105x80	13x16	45	166	230
R35F150	RUEDA NYLON PUR. HORQ. MOVIL C/FRENO PES. Ø150 x 35 mm (600)	135x110	105x80	13x16	50	189	400
R35F200	RUEDA NYLON PUR. HORQ. MOVIL C/FRENO PES. Ø200 x 50 mm (800)	135x110	105x80	13x16	57	251	600

Rueda Neumática



			
260x85	75	20	150



Rueda Aluminio Poliuretano



Gres
Stoneware



Asfalto
Asphalt



Cemento
Concrete



Grigliato
Grid



R1ALPU080200	RUEDA ALUMINIO PUR Ø080X 30 mm (200)		40			12		200
R1ALPU100250	RUEDA ALUMINIO PUR Ø100X 40mm (250)		40			12		250
R1ALPU125300	RUEDA ALUMINIO PUR Ø125X 45mm (300)		50			20		300
R1ALPU150500	RUEDA ALUMINIO PUR Ø150X 45mm (500)		40			20		500
R1ALPU200750	RUEDA ALUMINIO PUR Ø200X 60mm (750)		60			25		750
R1ALPU2501000	RUEDA ALUMINIO PUR Ø250X 60mm (1000)		62			25		1000

Rueda Aluminio Poliuretano Horquilla Zincada



Gres
Stoneware



Asfalto
Asphalt



Cemento
Concrete








Grigliato
Grid

							
R40B080	RUEDA ALUM. PUR HORQ. FIJA Ø80X 30 mm (120)	100X85	80X60	8,5x12	37	106	120
R40B100	RUEDA ALUM. PUR HORQ. FIJA Ø100X 40mm (120)	100X85	80X60	8,5x12	37	126	120
R40B125	RUEDA ALUM. PUR HORQ. FIJA Ø125X 45mm (170)	100X85	80X60	8,5x12	37	152	170
R40B150	RUEDA ALUM. PUR HORQ. FIJA Ø150X 45mm (200)	100X85	80X60	8,5x12	37	181	200
R40B200	RUEDA ALUM. PUR HORQ. FIJA Ø200X 60mm (300)	140X110	105x80	11x16	42	235	300
R40A080	RUEDA ALUM. PUR HORQ. MOVIL Ø80X 30 mm (120)	100X85	80X60	8,5x12	37	106	120
R40A100	RUEDA ALUM. PUR HORQ. MOVIL Ø100X 40mm (120)	100X85	80X60	8,5x12	37	126	120
R40A125	RUEDA ALUM. PUR HORQ. MOVIL Ø125X 45mm (170)	100X85	80X60	8,5x12	37	152	170
R40A150	RUEDA ALUM. PUR HORQ. MOVIL Ø150X 45mm (200)	100X85	80X60	8,5x12	37	181	200
R40A200	RUEDA ALUM. PUR HORQ. MOVIL Ø200X 58mm (300)	140X110	105x80	11x16	42	235	300
R40C080	RUEDA ALUMINIO PUR HORQ.MOVIL C/ FRENO Ø80X 30 mm (120)	100X85	80X60	8,5x12	37	106	120
R40C100	RUEDA ALUMINIO PUR HORQ.MOVIL C/ FRENO Ø100X 40mm (120)	100X85	80X60	8,5x12	37	126	120
R40C125	RUEDA ALUMINIO PUR HORQ.MOVIL C/ FRENO Ø125X 45mm (170)	100X85	80X60	8,5x12	37	152	170
R40C150	RUEDA ALUMINIO PUR HORQ.MOVIL C/ FRENO Ø150X 45mm (200)	100X85	80X60	8,5x12	37	181	200
R40C200	RUEDA ALUMINIO PUR HORQ.MOVIL C/ FRENO Ø200X 58mm (300)	140X110	105x80	11x16	42	235	300

Rueda Aluminio Poliuretano Horquilla Pesante



							
R40E125	RUEDA ALUM. PUR HORQ. MOVIL PESANTE Ø125X 45mm (400)	135x110	105x80	13x16	45	166	400
R40E150	RUEDA ALUM. PUR HORQ. MOVIL PESANTE Ø150X 45mm (600)	135x110	105x80	13x16	50	189	600
R40E200	RUEDA ALUM. PUR HORQ. MOVIL PESANTE Ø200X 58mm (800)	135x110	105x80	13x16	57	251	800
R40H125	RUEDA ALUM. PUR HORQ. FIJA PESANTE Ø125X 45mm (400)	135x110	105x80	13x16	45	166	400
R40H150	RUEDA ALUM. PUR HORQ. FIJA PESANTE Ø150X 45mm (600)	135x110	105x80	13x16	50	189	600
R40H200	RUEDA ALUM. PUR HORQ. FIJA PESANTE Ø200X 58mm (800)	135x110	105x80	13x16	57	251	800
R40F125	RUEDA ALUM. PUR HORQ. MOVIL C/ FRENO PESANTE Ø125X 45mm (400)	135x110	105x80	13x16	45	166	400
R40F150	RUEDA ALUM. PUR HORQ. MOVIL C/ FRENO PESANTE Ø150X 45mm (600)	135x110	105x80	13x16	50	189	600
R40F200	RUEDA ALUM. PUR HORQ. MOVIL C/ FRENO PESANTE Ø200X 58mm (800)	135x110	105x80	13x16	57	251	800



Rueda Hierro Poliuretano



Gres
Stoneware





Asfalto
Asphalt



Cemento
Concrete



Grigliato
Grid



R1HIPU080250	RUEDA HIERRO PUR Ø80X36mm (250)		40			15		250
R1HIPU100300	RUEDA HIERRO PUR Ø100X40mm (300)		40			20		300
R1HIPU125400	RUEDA HIERRO PUR Ø125X40mm (400)		50			20		400
R1HIPU150750	RUEDA HIERRO PUR Ø150X 60mm (750)		60			25		750
R1HIPU200750	RUEDA HIERRO PUR Ø200X 60mm (750)		60			25		750
R1HIPU2001600	RUEDA HIERRO PUR Ø200X 80mm (1600)		80			30		1600

Rueda Hierro Poliuretano Horquilla Zincada



R45A080	RUEDA HIERRO PUR. HORQ. MOVIL Ø080 x 36 mm (150)	100x85	80x60	9x12	36	108	120
R45A100	RUEDA HIERRO PUR. HORQ. MOVIL Ø100 x 40 mm (150)	100x85	80x60	9x12	36	128	120
R45A125	RUEDA HIERRO PUR. HORQ. MOVIL Ø125 x 40 mm (220)	100x85	80x60	9x12	45	150	170
R45A150	RUEDA HIERRO PUR. HORQ. MOVIL Ø150 x 60 mm (250)	100x85	80x60	9x12	50	181	200
R45A200	RUEDA HIERRO PUR. HORQ. MOVIL Ø200 x 60 mm (380)	135x110	105x80	13x16	57	235	300
R45B080	RUEDA HIERRO PUR. HORQ. FIJA Ø080 x 36 mm (150)	100x85	80x60	9x12	36	108	120
R45B100	RUEDA HIERRO PUR. HORQ. FIJA Ø100 x 40 mm (150)	100x85	80x60	9x12	36	128	120
R45B125	RUEDA HIERRO PUR. HORQ. FIJA Ø125 x 40 mm (220)	100x85	80x60	9x12	45	150	170
R45B150	RUEDA HIERRO PUR. HORQ. FIJA Ø150 x 60 mm (250)	100x85	80x60	9x12	50	181	200
R45B200	RUEDA HIERRO PUR. HORQ. FIJA Ø200 x 60 mm (380)	135x110	105x80	13x16	57	235	300
R45C080	RUEDA HIERRO PUR. HORQ. MOVIL C/ FRENO Ø080 x 36 mm (150)	100x85	80x60	9x12	36	108	120
R45C100	RUEDA HIERRO PUR. HORQ. MOVIL C/ FRENO Ø100 x 40 mm (150)	100x85	80x60	9x12	36	128	120
R45C125	RUEDA HIERRO PUR. HORQ. MOVIL C/ FRENO Ø125 x 40 mm (220)	100x85	80x60	9x12	45	150	170
R45C150	RUEDA HIERRO PUR. HORQ. MOVIL C/ FRENO Ø150 x 60 mm (250)	100x85	80x60	9x12	50	181	200
R45C200	RUEDA HIERRO PUR. HORQ. MOVIL C/ FRENO Ø200 x 60 mm (380)	135x110	105x80	13x16	57	235	300



R45H125	RUEDA HIERRO PUR. HORQ. F.I.A PESANTE Ø125 x 40 mm (400)	135x110	105x80	13x16	45	166	400
R45H150	RUEDA HIERRO PUR. HORQ. F.I.A PESANTE Ø150 x 60 mm (600)	135x110	105x80	13x16	50	189	600
R45H200	RUEDA HIERRO PUR. HORQ. F.I.A PESANTE Ø200 x 60 mm (800)	135x110	105x80	13x16	57	251	800
R45F125	RUEDA HIERRO PUR. HORQ. MOVIL C/ FRENO PESANTE Ø125 x 40 mm (400)	135x110	105x80	13x16	45	166	400
R45F150	RUEDA HIERRO PUR. HORQ. MOVIL C/ FRENO PESANTE Ø150 x 60 mm (600)	135x110	105x80	13x16	50	189	600
R45F200	RUEDA HIERRO PUR. HORQ. MOVIL C/ FRENO PESANTE Ø200 x 60 mm (800)	135x110	105x80	13x16	57	251	800
R45E125	RUEDA HIERRO PUR. HORQ. MOVIL PESANTE Ø125 x 40 mm (440)	135x110	105x80	13x16	45	166	400
R45E150	RUEDA HIERRO PUR. HORQ. MOVIL PESANTE Ø150 x 60 mm (550)	135x110	105x80	13x16	50	189	600
R45E200	RUEDA HIERRO PUR. HORQ. MOVIL PESANTE Ø200 x 60 mm (750)	135x110	105x80	13x16	57	251	800
R45N200	RUEDA HIERRO PUR. HORQ. F.I.A EXTRA PESANTE Ø200 x 80 mm (1600)	135x110	105x80	13x16	65	256	1600
R45P200	RUEDA HIERRO PUR. HORQ. MOVIL C/ FRENO EXTRA PESANTE Ø200 x 80 mm (1600)	135x110	105x80	13x16	65	256	1600



Rueda Alta Temperatura

Horquilla Zincada



							
R1AT00080100	RUEDA ALTA TEMPERATURA Ø080 x 35 mm (100)						100
R1AT00100150	RUEDA ALTA TEMPERATURA Ø100 x 35 mm (150)						150
R50A080	RUEDA ALTA TEMPERATURA HORQUILLA MOVIL Ø080 x 35 mm (120)	100x85	80x60	8,5x12	37	128	120
R50A100	RUEDA ALTA TEMPERATURA HORQUILLA MOVIL Ø100 x 35 mm (120)	100x85	80x60	8,5x12	37	128	120
R50I080	RUEDA ALTA TEMPERATURA HORQUILLA MOVIL INOX Ø080 x 35 mm (120)	100x85	80x60	8,5x12	37	128	120
R50I100	RUEDA ALTA TEMPERATURA HORQUILLA MOVIL INOX Ø100 x 35 mm (120)	100x85	80x60	8,5x12	37	128	120
R50A080T	RUEDA ALTA TEMPERATURA HORQUILLA MOVIL BUJE TEFLON Ø080 x 35 mm (120)	100x85	80x60	8,5x12	37	128	120
R50A100T	RUEDA ALTA TEMPERATURA HORQUILLA MOVIL BUJE TEFLON Ø100 x 35 mm (120)	100x85	80x60	8,5x12	37	128	120
R50I080T	RUEDA ALTA TEMPERATURA HORQUILLA MOVIL INOX BUJE TEFLON Ø080 x 35 mm (120)	100x85	80x60	8,5x12	37	128	120
R50I100T	RUEDA ALTA TEMPERATURA HORQUILLA MOVIL INOX BUJE TEFLON Ø100 x 35 mm (120)	100x85	80x60	8,5x12	37	128	120



Rueda Nylon



Gres
Stoneware



Cemento
Concrete



R1NY00080250	RUEDA NYLON Ø80 X 40mm (250)	40			12		250
R1NY00100300	RUEDA NYLON Ø100 X 40mm (300)	40			12		300
R1NY00125400	RUEDA NYLON Ø125 X 45mm (400)	50			15		400
R1NY00150600	RUEDA NYLON Ø150 X 45mm (600)	50			15		600
R1NY00150750R	RUEDA NYLON Ø150 X 58mm (750) RODAMIENTO	50			15		750
R1NY00150750I	RUEDA NYLON Ø150 X 58mm (750) INSERTO RODAMIENTO	50			15		750
R1NY00200900	RUEDA NYLON Ø200 X 58mm (900)	58			25		900
R1NY00200900R	RUEDA NYLON Ø200 X 58mm (900) RODAMIENTO	58			25		900
R1NY00200900I	RUEDA NYLON Ø200 X 58mm (900) INSERTO RODAMIENTO	58			25		900

Rueda Nylon Horquilla Zincada



R55A080	RUEDA NYLON HORQUILLA MOVIL Ø80 X 40mm (120)	100x85	80x60	8,5x12	37	108	120
R55A100	RUEDA NYLON HORQUILLA MOVIL Ø100 X 40mm (120)	100x85	80x60	8,5x12	37	128	120
R55A125	RUEDA NYLON HORQUILLA MOVIL Ø125 X 45mm (170)	100x85	80x60	8,5x12	42	155	170
R55A150	RUEDA NYLON HORQUILLA MOVIL Ø150 X 45mm (200)	100x85	80x60	8,5x12	45	181	200
R55A200	RUEDA NYLON HORQUILLA MOVIL Ø200 X 58mm (300)	140x110	105x80	11x16	55	231	300
R55B080	RUEDA NYLON HORQUILLA FIJA Ø80 X 40mm (120)	100x85	80x60	8,5x12	37	108	120
R55B100	RUEDA NYLON HORQUILLA FIJA Ø100 X 40mm (120)	100x85	80x60	8,5x12	37	128	120
R55B125	RUEDA NYLON HORQUILLA FIJA Ø125 X 45mm (170)	100x85	80x60	8,5x12	42	155	170
R55B150	RUEDA NYLON HORQUILLA FIJA Ø150 X 45mm (200)	100x85	80x60	8,5x12	45	181	200
R55B200	RUEDA NYLON HORQUILLA FIJA Ø200 X 58mm (300)	140x110	105x80	11x16	55	231	300
R55C080	RUEDA NYLON HORQUILLA MOVIL C/ FRENO Ø80 X 40mm (120)	100x85	80x60	8,5x12	37	108	120
R55C100	RUEDA NYLON HORQUILLA MOVIL C/ FRENO Ø100 X 40mm (120)	100x85	80x60	8,5x12	37	128	120
R55C125	RUEDA NYLON HORQUILLA MOVIL C/ FRENO Ø125 X 45mm (170)	100x85	80x60	8,5x12	42	155	170
R55C150	RUEDA NYLON HORQUILLA MOVIL C/ FRENO Ø150 X 45mm (200)	100x85	80x60	8,5x12	45	181	200
R55C200	RUEDA NYLON HORQUILLA MOVIL C/ FRENO Ø200 X 58mm (300)	140x110	105x80	11x16	55	231	300



Rueda Nylon Horquilla Inoxidable



Gres
Stoneware



Cemento
Concrete

							
R55I080	RUEDA NYLON HORQUILLA MOVIL INOX. Ø80X 40mm (150)	100x85	80x60	8,5x12	37	108	150
R55I100	RUEDA NYLON HORQUILLA MOVIL INOX. Ø100X 40mm (150)	100x85	80x60	8,5x12	37	128	150
R55I125	RUEDA NYLON HORQUILLA MOVIL INOX. Ø125X 45mm (150)	100x85	80x60	8,5x12	42	155	150
R55I150	RUEDA NYLON HORQUILLA MOVIL INOX. Ø150X 45mm (200)	100x85	80x60	8,5x12	45	181	200
R55I200	RUEDA NYLON HORQUILLA MOVIL INOX. Ø150X 58mm (300)	140x110	105x80	11x16	55	231	300
R55J080	RUEDA NYLON HORQ. INOX. MOVIL CON FRENO Ø80X 40mm (150)	100x85	80x60	8,5x12	37	108	150
R55J100	RUEDA NYLON HORQ. INOX. MOVIL CON FRENO Ø100X 40mm (150)	100x85	80x60	8,5x12	37	128	150
R55J125	RUEDA NYLON HORQ. INOX. MOVIL CON FRENO Ø125X 45mm (150)	100x85	80x60	8,5x12	42	155	150
R55J150	RUEDA NYLON HORQ. INOX. MOVIL CON FRENO Ø150X 45mm (200)	100x85	80x60	8,5x12	45	181	200
R55J200	RUEDA NYLON HORQ. INOX. MOVIL CON FRENO Ø200X 58mm (300)	140x110	105x80	11x16	55	231	300
R55K080	RUEDA NYLON HORQUILLA INOX. FIJA Ø80X 40mm (150)	100x85	80x60	8,5x12	37	108	150
R55K100	RUEDA NYLON HORQUILLA INOX. FIJA Ø100X 40mm (150)	100x85	80x60	8,5x12	37	128	150
R55K125	RUEDA NYLON HORQUILLA INOX. FIJA Ø125X 45mm (150)	100x85	80x60	8,5x12	42	155	150
R55K150	RUEDA NYLON HORQUILLA INOX. FIJA Ø150X 45mm (200)	100x85	80x60	8,5x12	45	181	200
R55K200	RUEDA NYLON HORQUILLA INOX. FIJA Ø200X 58mm (300)	140x110	105x80	11x16	55	231	300

Rueda Nylon Horquilla Pesante



Gres
Stoneware



Cemento
Concrete

							
R55E150	RUEDA NYLON HORQUILLA MOVIL PESANTE Ø150X 45mm (600)	135x110	105x80	13x16	50	189	600
R55E200	RUEDA NYLON HORQUILLA MOVIL PESANTE Ø200X 58mm (800)	135x110	105x80	13x16	57	251	800
R55F200	RUEDA NYLON HORQUILLA MOVIL PESANTE C/ FRENO Ø200X 58mm (800)	135x110	105x80	13x16	57	251	800
R55H150	RUEDA NYLON HORQUILLA FIJA PESANTE Ø150X 45mm (600)	135x110	105x80	13x16	50	189	600



Rueda Nylon Elástica



Gres
Stoneware



Asfalto
Asphalt



Grigliato
Grid



Cemento
Concrete



R1NYEL125220	RUEDA NYLON GOMA ELASTICA AZUL Ø125X 50mm (220)		60			20		220
R1NYEL150300	RUEDA NYLON GOMA ELASTICA AZUL Ø150X 58mm (300)		60			20		300
R1NYEL200400	RUEDA NYLON GOMA ELASTICA AZUL Ø200X 58mm (400)		60			25		400

Rueda Nylon Elástica Horquilla Zincada



R60A125	RUEDA NYLON ELASTIC HORQUILLA MOVIL Ø125 X 50mm (170)	100X85	80X60	8,5X12	42	155	170
R60A150	RUEDA NYLON ELASTIC HORQUILLA MOVIL Ø150 X 58mm (200)	100X85	80X60	8,5X12	55	185	200
R60A200	RUEDA NYLON ELASTIC HORQUILLA MOVIL Ø200 X 58mm (300)	140X110	105X80	11X16	55	235	300
R60B125	RUEDA NYLON ELASTIC HORQUILLA FIJA Ø125 X 50mm (170)	100X85	80X60	8,5X12	42	155	170
R60B150	RUEDA NYLON ELASTIC HORQUILLA FIJA Ø150 X 58mm (200)	100X85	80X60	8,5X12	55	185	200
R60B200	RUEDA NYLON ELASTIC HORQUILLA FIJA Ø200 X 58mm (300)	140X110	105X80	11X16	55	235	300
R60C125	RUEDA NYLON ELASTIC HORQUILLA MOVIL C/ FRENO Ø125 X 50mm (170)	100X85	80X60	8,5X12	42	155	170
R60C150	RUEDA NYLON ELASTIC HORQUILLA MOVIL C/ FRENO Ø150 X 58mm (200)	100X85	80X60	8,5X12	55	185	200
R60C200	RUEDA NYLON ELASTIC HORQUILLA MOVIL C/ FRENO Ø200 X 58mm (300)	140X110	105X80	11X16	55	235	300



Rueda Aluminio Elástica



Gres
Stoneware



Asfalto
Asphalt



Grigliato
Grid



Cemento
Concrete



R1ALGO200350	RUEDA ALUMINIO GOMA AZUL HORQUILLA MOVIL C/ FRENO Ø200 X 58mm(350)		60			25		350
--------------	--	--	----	--	--	----	--	-----

Rueda Aluminio Elástica


Horquilla Zincada



							
R65A200	RUEDA ALUMINIO GOMA AZUL HORQUILLA MOVIL Ø200 X 58mm (300)	140x110	105x80	13x16	57	251	300
R65B200	RUEDA ALUMINIO GOMA AZUL HORQUILLA FIJA Ø200 X 58mm (300)	140x110	105x80	13x16	57	251	300
R65C200	RUEDA ALUMINIO GOMA AZUL HORQUILLA MOVIL C/ FRENO Ø200 X 58mm (300)	140x110	105x80	13x16	57	251	300



Ruedas Hierro PU Traspaletas



R1HIPU0851000	RUEDA HIERRO PUR TRANSPA Ø085 X 100 mm.(1000)	20	1000
R1HIPU085400	RUEDA HIERRO PUR TRANSPA Ø085 X 55 mm.(400)	20	400
R1HIPU085700	RUEDA HIERRO PUR TRANSPA Ø085 X 70 mm.(700)	20	700

Ruedas Nylon Traspaletas



Asfalto
Asphalt



Grigliato
Grid



Gres
Stoneware



Cemento
Concrete



R1NYTR082600	RUEDA NYLON TRASPALETA Ø082 X 70 mm.(600)	20	600
R1NYTR082950	RUEDA NYLON TRASPALETA Ø082 X 100 mm.(950)	20	950